

	Type	Hits	Search Text	DBs
1	BRS	10	"370".clas. and (@ad<="20030729") and (rtcp with ssrc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	8	"370".clas. and (@ad<="20030729") and (rtcp with ssrc) and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	8	"370".clas. and (@ad<="20030729") and (rtcp with ssrc) and server and identif\$8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	0	"370".clas. and (@ad<="20030729") and (rtcp with ssrc) and server and (actual adj identif\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	10174	"370".clas. and (@ad<="20030729") and (header with (name or address or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	4653	"370".clas. and (@ad<="20030729") and (rtp adj header with (name or (email or e-mail) adj address) or (phone or telephone) adj number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	BRS	0	"370".clas. and (@ad<="20030729") and (header with (actual adj identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	BRS	102	"370".clas. and (@ad<="20030729") and (rtp adj header with (name or address or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	BRS	4653	"370".clas. and (@ad<="20030729") and ((rtp adj header) with (name or (email or e-mail) adj address) or (phone or telephone) adj number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	BRS	7695	"370".clas. and (@ad<="20030729") and (header near5 (name or address or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	BRS	10174	"370".clas. and (@ad<="20030729") and (header with (name or address or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
12	BRS	164	"370".clas. and (@ad<="20030729") and (header near5 (name or email adj address or tele\$5 adj number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB